

No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 1 of 11

**Applicant**: TONGFU MICROELECTRONICS CO., LTD.

Address : No.288, Chongchuan Road, Nantong, Jiangsu, China

The sample and sample information tested below are provided and confirmed by the applicant

Sample Name : LQFP64

Model : Metal pin, Black body

Received Date : Nov. 04, 2021

**Test Period** : Nov. 04, 2021~Nov. 10, 2021

Test Summary

Test Item	Conclusion
Directive 2011/65/EU (RoHS) and its Amendments	Pass
PFOS, PFOA	Pass
Fluorine(F), Chlorine(CI), Bromine(Br), Iodine(I)	Pass
Antimony(Sb)	N/A
Phthalates	Pass
Hexabromocyclododecan (HBCDD)	Pass

Remark: Pass: Meet the requirement; Fail: Doesn't meet the requirement; N/A: Without conclusions or provide test

results only.

Prepared by:

Cao Chunfa

Assistant engineer

Reviewed by:

Yang Xiao,Hunter

Technical supervisor

Approved by:

Signed for and on behalf of

liang Yufeng,Jason

thorized signatory Nov. 10, 2021





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 2 of 11

# Sample Description (The sample and sample information tested below are provided and confirmed by the applicant)

Sample No.	Sample Number	Sample Name	Model	Quantity
1		LQFP64	Metal pin, Black body	1pc
1.1	E2111040108-03	LQFP64	Metal pin	1pc
1.2		LQFP64	Black body	1pc

### **Summary of Test Results**

#### 1. RoHS

#### 1.1 Test Method

1:1 Test Method	
Test Item	Test Method
Cadmium (Cd), Lead (Pb)	IEC 62321-5:2013
Mercury (Hg)	IEC 62321-4:2013+A1:2017
Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017, IEC 62321-7-1:2015
PBBs & PBDEs	IEC 62321-6:2015
DEHP, BBP, DBP, DIBP	IEC 62321-8:2017

### 1.2 Test Instrument

Instrument Name	Manufacturer	Model
ICP-OES	Agilent	720
UV-Vis	SHIMADZU	UV-1800
GC-MS	Agilent	7890B-5977A
GC-MS	SHIMADZU	QP2010 Ultra





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 3 of 11

1.3 Test Result:Limit according to Directive 2011/65/EU (RoHS) and its Amendments

1.0 rest result.Ellint according to Directive 201 1/00/20 (Refle)			and its Amendments	
Test Item	Result (mg/kg)		MDL (mg/kg)	Limit (ma/ka)
rest item	1.1	1.2	MDE (Hig/kg)	Limit (mg/kg)
Lead (Pb)	N.D.	N.D.	2	1000
Cadmium (Cd)	N.D.	N.D.	2	100
Mercury (Hg)	N.D.	N.D.	2	1000
Have releast Characians (Ca6t)	N.D.	ND	Non-metal: 8	1000
Hexavalent Chromium (Cr <sup>6+</sup> )		N.D.	Metal: 0.10µg/cm <sup>2</sup>	

Test Item	Result (mg/kg)	MDL	Limit
r est nem	1.2	(mg/kg)	(mg/kg)
Polybrominated Biphenyls (Mono – Deca) (PBBs)	N.D.		1000
Monobromobiphenyl	N.D.	5	
Dibromobiphenyl	N.D.	5	
Tribromobiphenyl	N.D.	5	
Tetrabromobiphenyl	N.D.	5	
Pentabromobiphenyl	N.D.	5	
Hexabromobiphenyl	N.D.	5	
Heptabromobiphenyl	N.D.	5	
Octabromobiphenyl	N.D.	5	
Nonabromobiphenyl	N.D.	5	
Decabromobiphenyl	N.D.	5	
Polybrominated Diphenylethers (Mono – Deca) (PBDEs)	N.D.		1000
Monobromodiphenyl ether	N.D.	5	
Dibromodiphenyl ether	N.D.	5	
Tribromodiphenyl ether	N.D.	5	





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 4 of 11

Test Item	Result (mg/kg)	MDL	Limit
rest item	1.2	(mg/kg)	(mg/kg)
Tetrabromodiphenyl ether	N.D.	5	
Pentabromodiphenyl ether	N.D.	5	
Hexabromodiphenyl ether	N.D.	5	
Heptabromodiphenyl ether	N.D.	5	
Octabromodiphenyl ether	N.D.	5	
Nonabromodiphenyl ether	N.D.	5	
Decabromodiphenyl ether	N.D.	5	

Test Item	CAS No.	Result (mg/kg)	MDL (mg/kg)	Limit (mg/kg)
Test item	CAS NO.	1.2	MDL (mg/kg)	Littiit (Hig/kg)
Bis(2-ethylhexyl) phthalate(DEHP)	117-81-7	N.D.	50	1000
Butyl benzyl phthalate (BBP)	85-68-7	N.D.	50	1000
Dibutyl phthalate (DBP)	84-74-2	N.D.	50	1000
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	50	1000

#### Note:

- 1) N.D. = Not Detected (Less than Detection Limit).
- 2) MDL= Method Detection Limit.
- 3) Because it is difficult to measure the weight of the anticorrosion in plating accurately, the content of hexavalent chromium in plating shows in its quality of unit area.

Unit: µg/cm². Because the storage conditions and production date of the test samples are unknown, the test results of Cr(VI) are only represent its state during test period.


- a. When Sample Cr(VI) concentration is Less than 0,10  $\mu$ g/cm<sup>2</sup>,The sample is negative for Cr(VI), The sample not contain Cr(VI), The test result is Pass.
- b. When Sample Cr(VI) concentration Between 0,10  $\mu$ g/cm<sup>2</sup> and 0,13  $\mu$ g/cm<sup>2</sup>, The result need to reconfirm. The test result is not judge.
  - c. When Sample Cr(VI) concentration greater than 0,13  $\mu$ g/cm<sup>2</sup>, The sample is positive for Cr(VI), The sample contain Cr(VI), The test result is Fail.
  - 4) Specimens, which requested to determine Lead, Cadmium and Mercury content, have been dissolved completely.





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 5 of 11

#### 1.4 Test Flowchart



### 2. PFOS, PFOA

### 2.1 Test Method

Test Item	Test Method
PFOS, PFOA	US EPA 3550C:2007&US EPA 8321B:2007

#### 2.2 Test Instrument

Instrument Name	Manufacturer	Model
LC-MS	SHIMADZU	LCMS-2020





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 6 of 11

#### 2.3 Test Result

	210 Tool Room				
Took Home		Result (mg/kg)		MDL (ma/ka)	Client Limit (mar/len)
	Test Item	1.1	1.2 MDL (mg/kg) Client L		Client Limit (mg/kg)
	Perfluorooct ane sulfonic acid and its derivatives (PFOS)	N.D.	N.D.	0.01	0.025
F	Perfluorooctanoic Acid (PFOA)	N.D.	N.D.	0.01	0.025

#### Note

- 1) N.D. = Not Detected (Less than Detection Limit)
- 2) MDL= Method Detection Limit.

### 3.Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I)

#### 3.1Test Method

Test Item	Test Method
Fluorine(F), Chlorine(Cl), Bromine(Br), Iodine(I)	BS EN 14582:2016

### 3.2Test Instrument

Instrument Name	Manufacturer	Model
IC	Thermo Fisher	ICS-900

3.3Test Result: Limit value reference to Halogen-free requirements IEC 61249-2-21: 2003.

Test Item	Result (mg/kg)	MDL (mg/kg)	Limit (mg/kg)
Fluorine(F)	N.D.	50	
Chlorine(Cl)	N.D.	50	900
Bromine(Br)	N.D.	50	900
lodine(I)	N.D.	50	
Chlorine(CI)+ Bromine(Br)	N.D.	/	1500


#### Note

- 1) N.D. = Not Detected (Less than Detection Limit)
- 2) MDL= Method Detection Limit.
- 3) "----": IEC 61249-2-21: 2003 isn't Regulated Limit Requirement.





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 7 of 11



### 4. Antimony (Sb)

#### 4.1Test Method

Test Item	Test Method
Antimony (Sb)	US EPA 3052:1996

#### 4.2Test Instrument

4.2 i est ilisti dilient		
Instrument Name Manufacturer		Model
ICP-OES	Agilent	720

#### 4.3Test Result

Test Item	Result (mg/kg)		MDL (mg/kg)	
rest item	1.1	1.2	MDL (mg/kg)	
Antimony (Sb)	N.D.	N.D.	2	

#### **Note**

- 1) N.D. = Not Detected (Less than Detection Limit)
- 2) MDL= Method Detection Limit.

### 5.Phthalates

#### 5.1 Test Method

Test Item	Test Method
Phthalates	US EPA 3550C:2007&US EPA 8270E:2018





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 8 of 11

#### 5.2 Test Instrument

Instrument Name	Manufacturer	Model
GC-MS	SHIMADZU	QP2010 Ultra


5.3 Test Result: Limit according to the REACH Regulation (EC) NO.1907/2006

Test Item	CAS No.	Result (mg/kg)	MDL (ma/ka)	Limit (ma/ka)	
rest item	CAS NO.	1.2	MDL (mg/kg)	Limit (mg/kg)	
Diisononyl phthalate(DINP)	28553-12-0 68515-48-0	N.D.	50		
Diisoheptyl phthalate(DIDP)	68515-49-1 26761-40-0	N.D.	50		
Di-n-octyl phthalate(DNOP)	117-84-0	N.D.	50		
Total(DINP+DIDP+DNOP)		N.D.		1000	
Dihexyl phthalate(DNHP&DHxP)	84-75-3	N.D.	50		
Dimethyl ortho-phthalate(DMP)	131-11-3	N.D.	50		
Dicthyl ortho-phthalate(DEP)	84-66-2	N.D.	50		
Dihexyl phthalate (DHP)	3648-21-3	N.D.	50		
Dipentyl phthalate(DPP)	131-18-0	N.D.	50		
Dipropyl phthalate(DPrP)	131-16- 8	N.D.	50		
Diisooctyl ortho-phthalate(DIOP)	27554-26-3	N.D.	50		
Dicyclohexyl ortho- phthalate(DCHP)	84-61-7	N.D.	50		
Diisonoyl adipate(DNP)	84-76-4	N.D.	50		

#### Note

- 1) N.D. = Not Detected (Less than Detection Limit)
- 2) MDL= Method Detection Limit.

### 5.4 Test Flowchart







No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 9 of 11

### 6. Hexabromocyclododecan (HBCDD)

#### 6.1 Test Method

Test Item	Test Method	
Hexabromocyclododecan (HBCDD)	US EPA 3540C:2007&US EPA 8270E:2018	

#### **6.2 Test Instrument**

Instrument Name	Manufacturer	Model
GC-MS	Agilent	7890B-5977A

6.3 Test Result:Limit according to the REACH Regulation (EC) NO.1907/2006

Test Item	Result (mg/kg)	MDL (mg/kg)	Limit (mg/kg)	
r est item	1.2	MDE (mg/kg)		
Hexabromocyclododecan (HBCDD)	N.D.	5	1000	

#### Note

- 1) N.D. = Not Detected (Less than Detection Limit)
- 2) MDL= Method Detection Limit.

#### 6.4 Test Flowchart








No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 10 of 11

#### **Product Photo**



#### Sample Photo



\*\*\* End of Report \*\*\*





No.: ESZ2111040108C00006R Date: Nov. 10, 2021 Page 11 of 11

### 声明 Statement

1.本检测报告首页所列信息中除样品来源、接样日期、检测日期、检测结果和检测结论外,均由委托方提供,委托方对样品的代表性和 资料的真实性负责,本实验室不承担任何相关责任。

The information as listed on the first page of this test report was all provided by the client except the sample from, date received, test period, test results and test conclusion. The client shall be responsible for the representativeness of sample and authenticity of materials, for which EMTEK shall bear no responsibilities.

2.本检测报告以实测值进行符合性判定,未考虑不确定度所带来的风险,特别约定、标准或规范中有明确规定的除外。此种判定方式所带来的风险由客户自行承担,本实验室不承担相关责任。

The judgment method of determining the conformity in this test report is according to the measured value without considering the risk caused by uncertainty, unless otherwise clearly stipulated in special agreement, standard or specification. The client shall assume the risk caused by the judgment method, and EMTEK shall not bear related responsibilities.

- 3. 检测报告无批准人签字及"检验检测专用章"无效,未经本实验室书面同意,不得整体或部分复制本报告。
  The test report is effective only with both signature and specialized stamp. Without written approval of EMTEK, this report can't be reproduced in full or in part.
- 4.本检测报告的检测结果仅对送测样品负责,未加盖资质认定标志的检测报告不对社会具有公证证明作用,对于检测数据、结果的使用, 所产生的直接或间接损失及一切法律后果,本实验室不承担任何经济和法律责任。

This test data is only responsible for the tested sample. The data and results provided by the report without CMA accreditation are not to prove to the society, and EMTEK is not responsible for any economic and legal responsibility for the use of the test data, the direct or indirect losses resulting from the use of the test and all legal consequences.

5.本检测报告中检测项目标注有下划线则该项目不在本实验室资质认定能力范围内,该项目检测结果仅作为客户委托、科研、教学或内部质量控制等目的使用。

The underlined test item in the report is out of the scope of CMA accreditation. The test result only used for client's requirement, scientific researching, teaching or internal quality control.

6.其它声明请查阅报告页脚及书面报告背页。

For other statements, please refer to the footer of the report.





### 签发测试报告条款 Conditions of Issuance of Test Reports

- 1. 苏州市信测标准技术服务有限公司(以下简称[本公司])为提供符合下述条款的测试和报告,而接受有关样品和货品。本公司基于下述条款提供服务,下述条款为本公司与申请服务的个人,企业或公司(以下简称[客户])的协议。 All samples and goods are accepted by the EMTEK(Suzhou) Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2.由此测试申请所发出的任何报告(以下简称[报告]),本公司会严格为客户保密。未经本公司的书面同意,报告的整体或部分不得复制,也不得用于广告或授权的其他用途。然而,客户可以将本公司印制的报告或认可的副本,向其客户、供货商或直接相关的其他人出示或提交。除非相关政府部门、法律或法规要求,否则未经客户同意,本公司不得将报告内容向任何第三方讨论或披露。 Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3.除非相关政府部门、法律或法院要求,否则未经公司预先书面同意,本公司毋需,也并无义务到法院对有关报告作证。
  The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4.如果本公司确定报告被不当地使用,本公司保留撤回报告的权利,并有权要求其它适当的额外赔偿。 In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. 本公司接受样品进行测试的前提是,该测试报告不能作为针对本公司法律行动的依据。 Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6.如因使用本公司中心任何报告内的资料,或任何传播信息所描述与之有关的测试或研究导致的任何损失或损害,本公司概不负责。 The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7.若需要在法院审理程序或者仲裁过程中使用测试报告,客户必须在提交测试样品前将该意图告知本公司。 Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8.该测试报告的支持数据和信息本公司保存 10 年。个别评审机构有特别要求的,检测数据和报告的保存期可依情况变动。一旦超过上述提交的保存期限,数据和信息将被处理掉。任何情况下,本公司不必提供任何被处理的过期数据或信息。即使本公司事先被告知可能会发生相关的损害,本公司在任何情况下也不必承担任何损害,包括(但不限于)补偿性赔偿、利润损失、数据遗失、或任何形式的特殊损害、附带损害、间接损害、从属损害或任何违反约定、违反承诺、侵权(包括疏忽)、产品责任或其他原因的惩罚性损害。

Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of ten years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

